



▲ Bleeding on Probing

Bleeding upon gentle probing.
Acceptable data range: present or not.

..... Clinical Attachment Level

The distance from the CEJ or fixed reference point on a tooth to the gingival sulcus or periodontal pocket.
Acceptable data range: calculated automatically after entry of gingival margin and pocket depth.

Negative double digits displayed with letters: -10 = -A, -11 = -B, ... -19 = -J

Acceptable data range: 0 to 4

▽ Furcation

Bone loss in the furcation area.
Acceptable data range: 0 to 4
A palpable or visible movement of a tooth when subjected to occlusal forces.
Acceptable data range: present or not.
Enter an "f" after recording mobility to record Fremitus.

▽ Fremitus

A palpable or visible movement of a tooth when subjected to occlusal forces.
Acceptable data range: present or not.

— Gingival Margin

The distance from the cemento-enamel junction (CEJ) or a fixed reference point on a tooth to the gingival margin.
Acceptable data range: -19 to 19
Negative double digits displayed with letters: -10 = -A, -11 = -B, ... -19 = -J

∨ Keratinized Tissue

The distance from the free gingival margin (FGM) to the mucogingival junction (MGJ).
Acceptable data range: 0 to 9

I Mobility

The movement of a tooth in its socket resulting from an applied force.
Acceptable data range: 0 to 3
Class 1: < 1 mm (Horizontal)
Class 2: ≥ 1 mm (Horizontal)
Class 3: > 1 mm (Horizontal & vertical)

◆ Plaque

Accumulation of biofilm, attached to the tooth/implant, adjacent to the gingival tissue.
Acceptable data range: present or not.

I Pocket Depth

The distance from the gingival margin to the measured depth of the gingival sulcus or periodontal pocket.
Acceptable data range: 0 to 19

Prognosis Status

Kwok and Caton Prognosis Statuses
F: Favorable
Q: Questionable
U: Unfavorable
H: Hopeless

● Suppuration

Exudate. The observation of pus.
Acceptable data range: present or not.

